

THE NEW UFO2 SHB25 LED HIGHBAY




SUPERB
PERFORMANCE
AND GREAT
VALUE




Application: Industrial and commercial interior spaces.

Design:

- Two low profile body sizes
- Integral control gear with a 1-10V dimmable LED driver
- High performance optics of 150lm/W
- 80, 120 & 180W capacity
- Robust light weight die-cast aluminium body
- High performance heat dissipation body design
- Pre-wired with flex and plug



SHB25/80 SHB25/120 - 320mm dia x 120mm hm



SHB25/180 - 400mm dia x 130mm hm



Performance:

- An impressive optical performance of 150lm/W
- 120 degree wide beam distribution
- IP65
- IK08
- τ_a 40 degree
- Dimmable 1-10v
- CCT 5700K, CRI>80
- VEET & IPART approved
- RCM registered




SAL

THE NEW UFO2 SHB25 LED HIGHBAY

ORDERING SPECIFICATION

| Model No | Power | Lumens (lm) | Mass (kg) |
|-----------|-------|-------------|-----------|
| SHB25/80 | 80 | 12000 | 2.94 |
| SHB25/120 | 120 | 18000 | 3.52 |
| SHB25/180 | 180 | 27000 | 6.34 |



SAL

OUR SUCCESS IS MEASURED BY OUR CUSTOMERS SUCCESS™



Issue May 2018 copyright SAL